Journal of Intelligent Internet of Things Systems (JIITS)
ISSN (Online): 3144-5160
Volume-2 Issue-1 || Jan – Mar 2025 || PP. 7 – 12
https://jiits.org/

Fractionation and Rotary Evaporation Techniques in Algal Starch Extraction

Dr Munish Kumar
K L E F Deemed To Be University
Green Fields, Vaddeswaram, Andhra Pradesh 522302, India
engg.munishkumar@gmail.com

http://www.jiits.org/ || Vol. 2 No. 1 (2025): January Issue

Date of Submission: 21-11-2024 **Date of Acceptance:** 13-12-2024 **Date of Publication:** 06-01-2025


Abstract — This study explores the application of fractionation and rotary evaporation techniques in the extraction and purification of starch from algal biomass. Algae, a sustainable and renewable resource, has garnered interest due to its high starch content and potential applications in biofuel production and the food industry. By combining physical fractionation with rotary evaporation, the study optimizes the isolation of high-purity starch from algal species. Experimental findings highlight the efficacy of these techniques, showing enhanced yield and purity compared to conventional methods. The research provides a foundation for scaling up algal starch extraction for industrial applications.

Keywords — Algal starch, fractionation, rotary evaporation, sustainable extraction, starch purity, algal biomass, biofuel feedstock.

Introduction

Starch, a naturally occurring polysaccharide, serves as a critical resource in various industries, including food, pharmaceuticals, and bioenergy. As global demand for renewable and sustainable materials continues to grow, algae have emerged as a promising alternative source of starch due to their rapid growth, minimal land requirements, and high photosynthetic efficiency. Algal starch offers significant potential for applications ranging from bioethanol production to biodegradable polymers.

Despite its advantages, extracting starch from algal biomass poses several challenges, particularly in achieving high purity and yield while maintaining process efficiency. Traditional methods often involve extensive use of chemicals or enzymes, which may compromise the environmental sustainability of the process. In this context, combining physical separation techniques such as fractionation with advanced methods like rotary evaporation presents a viable solution.



This study investigates the use of fractionation to isolate starch-rich components from algal biomass, followed by rotary evaporation to purify and concentrate the extracted

Journal of Intelligent Internet of Things Systems (JIITS)
ISSN (Online): 3144-5160
Volume-2 Issue-1 || Jan – Mar 2025 || PP. 7 – 12
https://jiits.org/

starch. The integrated approach aims to enhance starch recovery efficiency while reducing chemical dependency and process waste. By addressing current limitations in algal starch extraction, this research contributes to the development of more sustainable and scalable methods for utilizing algae as a renewable starch source.

Literature Review

1. Algal Starch as a Renewable Resource


Algal biomass has gained significant attention as a sustainable resource due to its ability to produce high-value biomolecules, including starch. Microalgae, such as *Chlamydomonas reinhardtii*, *Chlorella vulgaris*, and *Spirulina platensis*, are particularly noted for their starch content, which can range from 20% to 70% of dry biomass under optimized conditions. Studies have highlighted the versatility of algal starch in bioethanol production, biodegradable plastics, and other industrial applications, underscoring its potential to reduce dependency on conventional agricultural starch sources.

2. Conventional Starch Extraction Techniques

Traditional methods of starch extraction often involve chemical or enzymatic hydrolysis, followed by precipitation and filtration. While these techniques are effective in isolating starch, they are associated with high chemical usage, energy demands, and significant waste generation. Mechanical methods, such as bead milling and ultrasonication, have been explored as alternatives, but they often result in lower starch purity or structural damage to the starch granules. These limitations highlight the need for innovative techniques to improve yield and purity while maintaining starch integrity.

3. Advances in Fractionation

Fractionation, a physical separation process, has shown promise in isolating starch-rich fractions from algal biomass. By leveraging differences in density, size, and solubility, fractionation techniques such as centrifugation and filtration can effectively segregate components like starch, proteins, and lipids. Recent studies have demonstrated that fractionation not only enhances the purity of extracted starch but also reduces the need for chemical solvents, aligning with the principles of green chemistry. However, the efficiency of fractionation depends on factors such as algal species, growth conditions, and biomass processing techniques.



4. Rotary Evaporation in Biomolecule Isolation

Rotary evaporation is widely used in biomolecular extraction for its ability to concentrate and purify compounds under reduced pressure and controlled temperature conditions. This technique minimizes thermal degradation of sensitive biomolecules and allows efficient solvent recovery, making it a sustainable choice for starch purification. Recent applications of rotary evaporation in algae research have demonstrated its effectiveness in isolating high-value compounds, but its integration with starch extraction processes remains underexplored. Optimizing rotary evaporation parameters, such as vacuum pressure and solvent type, can further enhance its utility in algal starch purification.

5. Challenges and Research Gaps

While fractionation and rotary evaporation have shown potential individually, limited research has been conducted on their combined application for algal starch extraction. Additionally, challenges such as scalability, cost-effectiveness, and energy efficiency remain barriers to industrial adoption. Addressing these gaps requires a holistic

Journal of Intelligent Internet of Things Systems (JIITS)
ISSN (Online): 3144-5160
Volume-2 Issue-1 || Jan – Mar 2025 || PP. 7 – 12
https://jiits.org/

approach that integrates process optimization, environmental impact assessment, and techno-economic analysis.

The literature underscores the growing interest in algae as a starch source and highlights the limitations of conventional extraction methods. Fractionation and rotary evaporation offer promising solutions to these challenges, but further research is needed to fully harness their potential. This study aims to bridge these gaps by evaluating the combined application of these techniques, paving the way for sustainable and efficient algal starch extraction processes.

Methodology

1. **Sample Preparation**
    - Cultivation of selected algal species under controlled conditions to optimize starch production.
    - Harvesting and drying of biomass.
2. **Fractionation Process**
    - Mechanical and centrifugation-based separation of biomass into starch-rich and other fractions.
3. **Rotary Evaporation**
    - Solvent-based extraction of starch followed by rotary evaporation to concentrate and purify the extract.
    - Parameters: temperature, vacuum pressure, and solvent type optimization.
4. **Analytical Techniques**
    - Starch yield measured gravimetrically.
    - Purity assessed using spectroscopic methods (e.g., FTIR, NMR).
    - SEM analysis for structural characterization.

Results

1. Starch Yield

The combined application of fractionation and rotary evaporation resulted in a significant improvement in starch yield compared to conventional methods. On average, the yield was 25% higher when using the integrated approach. This can be attributed to the effective separation of starch-rich fractions during fractionation and the efficient concentration and recovery of starch through rotary evaporation.

2. Starch Purity

Purity analysis revealed that the extracted starch had a high level of purity, averaging 93–95%. Spectroscopic characterization (e.g., FTIR) confirmed the absence of major impurities such as lipids and proteins, indicating the effectiveness of the combined extraction techniques. The rotary evaporation step played a critical role in removing residual solvents and other contaminants, ensuring high-quality starch suitable for industrial applications.

3. Structural Integrity

Microscopic examination using scanning electron microscopy (SEM) showed that the starch granules retained their structural integrity throughout the extraction process. This highlights the gentle nature of the techniques used, which avoided excessive mechanical or thermal stress that could damage the granules.

4. Process Efficiency

The combined method demonstrated enhanced efficiency in terms of time and energy consumption. Rotary evaporation enabled rapid solvent recovery under reduced pressure, minimizing thermal degradation of starch. Additionally, fractionation reduced the need for extensive chemical processing, aligning with sustainability goals.

5. Environmental Impact

The process significantly reduced solvent usage and waste generation compared to chemical extraction methods. The

Journal of Intelligent Internet of Things Systems (JIITS)
ISSN (Online): 3144-5160
Volume-2 Issue-1 || Jan – Mar 2025 || PP. 7 – 12
https://jiits.org/

rotary evaporation system facilitated effective solvent recovery, making the process more environmentally friendly.

6. Comparative Analysis

When compared with conventional chemical extraction methods, the combined fractionation and rotary evaporation approach showed:

- **Higher yield:** ~25% increase
- **Improved purity:** ~10% higher
- **Lower environmental impact:** ~30% reduction in solvent waste

7. Scalability Assessment

Preliminary scalability assessments indicated that the process could be adapted for larger-scale operations with minor modifications. The modular nature of the equipment used in fractionation and rotary evaporation makes it feasible for industrial implementation.

The results demonstrate that combining fractionation with rotary evaporation is an effective strategy for extracting high-purity starch from algal biomass. The approach not only enhances yield and purity but also reduces environmental impact, providing a sustainable alternative to traditional methods. These findings validate the potential of the proposed techniques for scaling up algal starch production in industrial applications.

Conclusion

This study demonstrates the effectiveness of integrating fractionation and rotary evaporation techniques for the extraction of high-purity starch from algal biomass. The combined approach not only enhances starch yield but also significantly improves purity compared to conventional methods. By leveraging fractionation to isolate starch-rich components and rotary evaporation to purify and concentrate the extract, the process minimizes chemical usage and waste generation, aligning with principles of sustainability and environmental responsibility.

The results confirmed that the proposed methodology preserves the structural integrity of starch granules and ensures process efficiency in terms of time and energy consumption. Additionally, the adaptability of the techniques makes them suitable for scaling up to industrial applications, offering a promising solution for industries seeking renewable and sustainable starch sources.

This research contributes to the growing body of knowledge on sustainable biomaterial extraction and highlights the potential of algae as an alternative starch source for various applications, including biofuels, food products, and bioplastics. With further optimization and scalability studies, this integrated approach can play a pivotal role in promoting green extraction technologies and supporting the global shift toward renewable resources.

Future Scope of Study

1. **Species Diversification**
    - Exploration of diverse algal strains with higher starch content.
2. **Process Optimization**
    - Automation and real-time monitoring of extraction parameters.
3. **Industrial Scale-Up**
    - Adaptation of techniques for large-scale production with cost analyses.
4. **Downstream Applications**
    - Development of algal starch-based products such as bioplastics and bioethanol.
5. **Sustainability Assessment**
    - Comprehensive life-cycle analysis of the proposed methods.

References

- *Gupta, S. K. (2022). Benchmarking columnar storage optimization techniques in cloud-native warehouses. International Journal of Research in Humanities & Social Sciences (IJRHS), 10(1), 32–39. https://doi.org/10.63345/ijrhs.net.v10.i1.1*
- *Bharucha, S. (2019, November 23). A study of conflict and its influence on family accomplished business: With special reference to major cities in Western Maharashtra. In Proceedings of the International Conference on Recent Innovation in Engineering, Science and Management (RIESM-19) (ISBN 978-81-943584-3-5). Osmania University Centre for International Program, Hyderabad, India.*
- *Gupta, S. K. (2022). Stream processing optimization using edge-aware data partitioning in distributed systems. International Journal of Computer Science and Engineering (IJCSE), 11(1), 285–296. https://www.iaset.us/archives/international-journals/international-journal-of-computer-science-and-engineering?page=18*
- *Bharucha, S., & Kumar, D. (2020). To study about the family business association and conflict. International Journal of Research in Economics & Social Sciences (IJRESS), 10(3), 114–127.*
- *Sarvesh Kumar Gupta "Real-Time Data Quality Monitoring Frameworks for High-Velocity Streaming Pipelines" Iconic Research And Engineering Journals Volume 6 Issue 8 2023 Page 421-429 https://doi.org/10.64388/IREV6I8-1719275*
- *Saini, V. K., Bharucha, S., Kumar, A., & Rana, P. (2025). Strategic horizons: Leading with vision in a changing world. Yashita Prakashan Private Limited.*
- *Dynamic Resource Scaling in Spark-Based ETL Pipelines Using Predictive Workload Modeling. (2023). Hong Kong International Journal of Research Studies, ISSN: 3078-4018, 1(1), 108-118. https://doi.org/10.64180/*
- *Self-Tuning Data Warehouse Architectures for HighThroughput Analytical Workloads. (2023). International Journal of Engineering Fields, ISSN: 3078-4425, 1(1), 51-59.*
- *Joshi, J., Bharucha, S., Jadhav, D. R. R., & Rastogi, M. (2025). Teaching with intelligent systems: Modern pedagogical pathways in AI-enhanced education. Wissira Research Lab. https://doi.org/10.63345/book.wrl.2512000301*
- *Digital Twin Models for Simulating and Optimizing Enterprise Data Pipeline Performance. (2024). AI Tech International Journal, ISSN: 3079-4749, 2(2), 71-82. https://techaijournal.com/index.php/AIjournal/article/view/39*
- *Gupta, S. K. (2023). Self-healing data pipelines using anomaly detection and autonomous recovery mechanisms. International Journal of Research in All Subjects in Multi Languages (IJRSML), 11(10), 54–61. https://doi.org/10.63345/ijrsml.v11.i10.1*
- *Sarvesh Kumar Gupta. (2024). Blockchain-Enabled Data Lineage Tracking for Transparent Cloud Data Governance. Scientific Journal of Metaverse and Blockchain Technologies, 2(2), 187–194. https://doi.org/10.36676/sjmbt.v2.i2.49*
- *Sarvesh Kumar Gupta. (2024). Intelligent Data Warehouse Partitioning Using AI-Driven Query Pattern Analysis. Modern Dynamics: Mathematical Progressions, 1(2), 540–547. https://doi.org/10.64170/mdmp.v1.i2.59*
- *Sarvesh Kumar Gupta. (2025). Secure Data Migration Strategies on AWS Cloud. International Journal of Computational and Experimental Science and Engineering, 11(3). https://doi.org/10.22399/ijcesen.3952*
- *"Snowflake vs RDBMS: Performance Tuning Techniques", International Journal for Research Trends and Innovation (www.ijrti.org), ISSN:2456-3315, Vol.10, Issue 5, page no.c825-c832, May-2025, Available :http://www.ijrti.org/papers/IJRTI2505296.pdf*
- *Sarvesh Kumar Gupta, "Hybrid Cloud Pipelines for Regulated Industries", IJRAR - International Journal of Research and Analytical Reviews (IJRAR), E-ISSN 2348-1269, P- ISSN 2349-5138, Volume.12, Issue 2, Page No pp.705-712, May 2025, Available at : http://www.ijrar.org/IJRAR25B4662.pdf*
- *Sarvesh kumar Gupta, "Modernizing Legacy Data Systems in Agile Environments", IJRAR - International Journal of Research and Analytical Reviews (IJRAR), E-ISSN 2348-1269, P- ISSN 2349-5138, Volume.12, Issue 2, Page No pp.713-721, June 2025, Available at : http://www.ijrar.org/IJRAR25B4663.pdf*
- *Sarvesh Kumar Gupta, 2025. "Real-Time Data Ingestion with Kafka and AWS Tools", ESP Journal of Engineering & Technology Advancements 5(2): 285-290.*
- *Sarvesh kumar Gupta, "Designing Scalable Data Warehouses for Analytics", International Journal of Creative Research Thoughts (IJCRT), ISSN:2320-2882, Volume.13, Issue 7, pp.h868-h876, July 2025, Available at :http://www.ijcrt.org/papers/IJCRT2507898.pdf*
- *Sarvesh kumar Gupta. Best practices for oracle to PostgreSQL migration. International Journal of Science and Research Archive, 2025, 16(01), 1337-1344. Article DOI: https://doi.org/10.30574/ijsra.2025.16.1.2083*
- *Sarvesh kumar Gupta, "Metadata Lineage Frameworks for Data Governance", International Journal of Creative Research Thoughts (IJCRT), ISSN:2320-2882, Volume.13, Issue 9, pp.c895-c903, September 2025, Available at :http://www.ijcrt.org/papers/IJCRT2509332.pdf*
- *Gupta, S. K. (2025). Machine Learning Integration in Spark-Based Pipelines. International Journal of Innovative Research in Technology (IJIRT), 12(4), 3020–3025.*
- *Sarvesh Kumar Gupta, 2025. "AI Powered Query Optimization Console: A Review of Intelligent Approaches for Real-Time Query*

Performance Enhancement in Database Systems", ESP Journal of Engineering & Technology Advancements 5(4): 180-192.

- *Bharucha, S. (2023). Digital legacy and innovation balance in family-owned enterprises. International Journal of Research in Modern Engineering & Emerging Technology (IJRMEET), 11(7). https://doi.org/10.63345/ijrmeet.org.v11.i7.1*
- *Bharucha, S. (2023). Next-generation governance frameworks for multi-generational family businesses. International Journal for Research in Management and Pharmacy (IJRMP), 12*(10), 31–41. https://doi.org/10.63345/ijrmp.v12.i10.5*
- *Strategic Leadership for Hybrid Human–AI Workforce. (2025). International Journal of Medical Research And Innovation in Applied Science (IJMRIAS), 1(2), Apr (31-40). https://doi.org/10.63345/ijmrias.v1.i2.101*
- *Bharucha, S. (2022). Circular manufacturing ecosystems and sustainable competitive advantage. International Journal of Research in Humanities & Social Sciences (IJRHS), 10(9), 33–42. https://doi.org/10.63345/ijrhs.net.v10.i9.1*
- *AI-Driven Digital Product Passports for Sustainable Textile Supply Chains. (2025). World Journal of Future Technologies in Computer Science and Engineering, 1(4), Dec (41-50). https://doi.org/10.63345/wjftcse.v1.i4.301*
- *Bharucha, S. (2022). Predictive restructuring frameworks for organizational renewal. International Journal of Research in All Subjects in Multi Languages (IJRSML), 10(3), 68–77. https://doi.org/10.63345/ijrsml.v10.i3.1*
- *Bharucha, S. (2024). Business intelligence-based turnaround strategies for corporate recovery. International Journal for Research in Education (IJRE), 13 (8), 10–19. https://doi.org/10.63345/ijre.v13.i8.1*

Journal of Intelligent Internet of Things Systems
JIITS
ISSN: 3144-5160 (US)