Journal of Intelligent Internet of Things Systems (JIITS)
ISSN (Online): 3144-5160
Volume-3 Issue-4 || Oct – Dec 2026 || PP. 8 – 15 https://jiits.org/

Smart Cities and Climate Resilience: Integrating IoT, Data Analytics, and Sustainable Infrastructure for Urban Development

Karamjeet Singh

Research Scholar

Department of Computer Science & Applications ,

Desh Bhagat University,

Mandi Gobindgarh, Punjab , India

Orcid id : https://orcid.org/0009-0005-9945-2676

www.jiits.org || **Vol. 3 No. 4 (2026): October Issue**

Date of Submission: 06-09-2026 **Date of Acceptance:** 19-09-2026 **Date of Publication:** 07-10-2026

Abstract : Rapid urbanization and intensifying climate hazards are increasing the vulnerability of cities to heat waves, urban flooding, air pollution, water scarcity, infrastructure disruption, and energy stress. Smart-city technologies provide an opportunity to strengthen climate resilience by combining real-time sensing, data analytics, predictive decision-making, and sustainable infrastructure. This study examines the integrated contribution of Internet of Things (IoT) deployment, urban data analytics, and sustainable infrastructure to urban climate resilience. A quantitative cross-sectional research design was adopted using responses from 360 participants representing urban planners, municipal officials, infrastructure professionals, information-technology specialists, environmental professionals, and informed urban residents. Four constructs were measured using a five-point Likert scale: IoT Integration, Data Analytics Capability, Sustainable Infrastructure, and Climate Resilience. Reliability coefficients ranged from $\alpha = 0.84$ to $\alpha = 0.91$. The overall mean scores were 3.72 ± 0.67 for IoT integration, 3.68 ± 0.70 for data analytics, 3.81 ± 0.65 for sustainable infrastructure, and 3.76 ± 0.63 for climate resilience. Climate resilience demonstrated significant positive correlations with IoT integration ($r = 0.61$), data analytics capability ($r = 0.66$), and sustainable infrastructure ($r = 0.72$), with $p < 0.001$ in all cases. Multiple regression analysis indicated that the three predictors jointly explained 61.8% of the variance in climate resilience ($R^2 = 0.618$). Sustainable infrastructure emerged as the strongest predictor ($\beta = 0.39$), followed by data analytics ($\beta = 0.28$) and IoT integration ($\beta = 0.22$). The findings demonstrate that technological intelligence generates greater resilience benefits when integrated with physical infrastructure, environmental planning, institutional capacity, and data-driven governance.

Keywords: Smart Cities, Climate Resilience, Internet of Things, IoT, Data Analytics, Sustainable Infrastructure, Urban Development, Smart Infrastructure, Climate Adaptation

Introduction

Cities have become central locations for economic activity, infrastructure investment, innovation, energy consumption, and population concentration. At the same time, the

@2026. This is an open access article distributed under the terms of the Creative Commons License [CC BY NC 4.0] and is available on www.jiits.org

Journal of Intelligent Internet of Things Systems (JIITS)
ISSN (Online): 3144-5160
Volume-3 Issue-4 || Oct – Dec 2026 || PP. 8 – 15 https://jiits.org/

concentration of people and assets in urban areas creates substantial exposure to climate-related hazards. Extreme temperatures, intense precipitation, flooding, water scarcity, deteriorating air quality, energy disruptions, and

infrastructure failure increasingly challenge conventional urban planning.

Climate resilience refers not simply to a city's capacity to withstand a disruptive event but also to its ability to adapt, reorganize, recover, and transform while maintaining essential functions. Meerow, Newell, and Stults conceptualized urban resilience as a multidimensional property of urban systems and highlighted the importance of considering resilience for whom, to what threats, at what spatial and temporal scales, and for what purposes.

Simultaneously, the concept of the smart city has evolved from a predominantly technology-centred model toward an integrated model involving technology, people, governance, infrastructure, sustainability, and environmental management. Albino, Berardi, and Dangelico emphasized that smart-city development encompasses multiple dimensions rather than merely the deployment of information and communication technologies.

The Internet of Things has created opportunities to monitor urban systems continuously through distributed sensors and connected devices. Sensors can measure temperature, rainfall, water levels, traffic intensity, energy consumption, air pollution, soil moisture, structural conditions, and other parameters. However, sensing alone does not create resilience. Large volumes of urban data must be processed through data analytics, machine learning, geographic information systems, and predictive models to transform measurements into actionable information.

Bibri's work on smart sustainable cities highlights the convergence of IoT and big-data analytics as an important mechanism for improving environmental sustainability, infrastructure management, and resource efficiency. More recent research extends this convergence toward AI, AIoT, and urban digital twins for data-driven environmental planning.

The present study therefore examines smart urban resilience as an integrated system in which IoT generates real-time observations, data analytics converts those observations into decision intelligence, and sustainable infrastructure provides the physical capacity to implement resilient responses.

Literature Review

Smart Cities and Sustainable Urban Development

The definition of a smart city has evolved considerably. Albino et al. (2015) observed that the term encompasses different dimensions and that technology alone cannot adequately characterize urban smartness. Earlier, Chourabi et al. (2012) proposed an integrative smart-city framework incorporating management and organization, technology, governance, policy, people and communities, economy, built infrastructure, and the natural environment.

Trindade et al. (2017), through a systematic review, investigated the relationship between smart-city concepts and environmental sustainability, reinforcing the importance of connecting technological innovation with sustainable urban-development objectives.

This perspective implies that smart-city performance should not be assessed by the number of sensors, applications, or digital services alone. Technology becomes meaningful when it contributes to resource efficiency, environmental quality, accessibility, infrastructure reliability, public safety, and quality of life.

Urban Climate Resilience

Meerow et al. (2016) reviewed the urban-resilience literature and identified several conceptual tensions, including equilibrium versus transformation, adaptation versus general adaptability, and differences in the temporal and spatial scales of resilience. Their framework is particularly relevant to climate-resilient smart cities because technological systems need to support not only emergency recovery but also long-term adaptation.

Recent empirical evidence also suggests that smart-city development can contribute measurably to resilience. A 2026 study based on 274 Chinese cities from 2008–2023 found that smart-city pilot policies increased measured urban resilience by approximately 4% on average, although effects varied across city types and regions.

In India, Sahu, Swarnkar, and Poonia (2026) examined compound dry-hot events across 100 Smart Cities and found substantial spatial differences in climatic and socioeconomic vulnerability, emphasizing that climate resilience requires city-specific assessment rather than uniform interventions.

@2026. This is an open access article distributed under the terms of the Creative Commons License [CC BY NC 4.0] and is available on www.jiits.org

Journal of Intelligent Internet of Things Systems (JIITS)
ISSN (Online): 3144-5160
Volume-3 Issue-4 || Oct – Dec 2026 || PP. 8 – 15
https://jiits.org/



Internet of Things and Real-Time Urban Monitoring

IoT provides the sensing layer of smart-city infrastructure. Bibri (2018) demonstrated that sensor-based big-data applications can support energy efficiency, environmental monitoring, natural-resource management, infrastructure optimization, and environmental sustainability.

A 2024 systematic review of IoT sensors for sustainable smart cities analyzed 73 publications and identified applications across smart transportation, disaster management, communities, security, and emerging urban services.

Omrany et al. (2024) analyzed 843 publications on IoT-enabled smart cities and identified data analysis, communication technologies, security and privacy, and data collection among the principal research areas.

For climate resilience, IoT networks can enable early flood detection, heat monitoring, air-quality surveillance, infrastructure-condition assessment, intelligent water distribution, and dynamic energy management. A systematic review of IoT-based disaster preparedness and infrastructure monitoring likewise identifies environmental sensors and UAVs as important technologies for urban disaster resilience.

Data Analytics and Predictive Urban Management

Urban sensor networks generate high-volume, high-velocity, and heterogeneous datasets. Data analytics converts these streams into patterns, forecasts, anomaly detection, risk classifications, and operational recommendations.

Soomro et al. (2019) systematically reviewed smart-city big-data analytics and documented applications of artificial intelligence, machine learning, data mining, and statistical methods across climate science, transport, energy management, air-quality management, and weather analysis.

Bibri (2021) described data-driven smart sustainable cities as an emerging model in which big-data technologies can support planning, operational management, performance monitoring, and sustainability assessment.

The convergence has progressed further through AI, AIoT, digital twins, edge computing, and cloud systems. Bibri et al. (2024) emphasize that AI, AIoT, and urban digital twins can work synergistically in environmental urban planning, while also identifying governance and implementation challenges.

Sustainable Infrastructure and Resilience

Climate-resilient urban development requires physical systems capable of responding to climate stresses. Examples include green roofs, urban forests, permeable surfaces, sustainable drainage, rainwater harvesting, renewable-energy systems, energy-efficient buildings, decentralized water systems, resilient transport networks, and climate-adaptive roads.

Smart technology can enhance these assets by continuously monitoring their performance. For example, sensors may detect drainage-system water levels while predictive analytics estimates flood probability. The physical drainage and green infrastructure then provide the actual capacity to absorb or redirect water.

Recent reviews of climate-resilient road infrastructure similarly identify complementary roles for IoT, GIS, remote sensing, AI, big data, digital twins, and building-information modelling in monitoring, risk analysis, predictive maintenance, and lifecycle planning.

Research Gap

Existing research establishes substantial potential for IoT, big data, AI, digital twins, and smart infrastructure. However, technology does not automatically produce resilience. A systematic review of 115 peer-reviewed studies found that smart technologies tend to strengthen resilience when integrated with planning instruments and governance reforms rather than deployed as isolated technology pilots.

Therefore, the present research evaluates IoT integration, data analytics capability, and sustainable infrastructure simultaneously rather than considering them as isolated urban-development components.

Research Objectives

The study aims to assess the existing level of IoT integration, data analytics capability, sustainable infrastructure, and climate resilience in the urban context; examine the relationships among these dimensions; determine their

OPEN ACCESS
@2026. This is an open access article distributed under the terms of the Creative Commons License [CC BY NC 4.0] and is available on www.jiits.org

Journal of Intelligent Internet of Things Systems (JIITS)
ISSN (Online): 3144-5160
Volume-3 Issue-4 || Oct – Dec 2026 || PP. 8 – 15
https://jiits.org/

individual and combined influence on climate resilience; compare resilience perceptions across stakeholder groups; and develop an integrated framework for smart and climate-resilient urban development.

Research Hypotheses

H01: There is no significant relationship between IoT integration and urban climate resilience.

H02: There is no significant relationship between data analytics capability and urban climate resilience.

H03: There is no significant relationship between sustainable infrastructure and urban climate resilience.

H04: IoT integration, data analytics capability, and sustainable infrastructure do not significantly predict urban climate resilience when considered simultaneously.



Research Methodology

Research Design

A quantitative, descriptive, and correlational research design was adopted. The design was selected to quantify smart-city technological capabilities and determine their statistical association with climate-resilience outcomes.

Sample

A total of **360 respondents** were included. Participants represented six stakeholder categories involved directly or indirectly in urban systems.

Stakeholder Category	n	Percentage
Municipal/Urban Administration	60	16.7%
Urban Planners and Architects	58	16.1%
Civil/Infrastructure Professionals	64	17.8%
IT/IoT/Data Professionals	62	17.2%
Environment/Sustainability Professionals	56	15.6%
Informed Urban Residents	60	16.7%
Total	**360**	**100.0%**

Measurement Instrument

A structured questionnaire was developed using a five-point Likert scale ranging from 1 = strongly disagree to 5 = strongly agree.

Four major constructs were measured:

IoT Integration: sensor coverage, real-time environmental monitoring, smart metering, connected infrastructure, and emergency monitoring.

Data Analytics Capability: integrated data platforms, predictive analytics, GIS-supported decisions, real-time dashboards, and data-driven planning.

Sustainable Infrastructure: green infrastructure, sustainable drainage, renewable energy, efficient buildings, resilient transport, water conservation, and nature-based solutions.

Climate Resilience: preparedness, adaptive capacity, infrastructure robustness, response capability, recovery capacity, and continuity of essential services.

Reliability

Construct	Items	Cronbach's α
IoT Integration	7	0.86
Data Analytics Capability	7	0.88
Sustainable Infrastructure	8	0.91
Climate Resilience	8	0.89
Overall Instrument	**30**	**0.93**

@2026. This is an open access article distributed under the terms of the Creative Commons License [CC BY NC 4.0] and is available on www.jiits.org

Journal of Intelligent Internet of Things Systems (JIITS)
ISSN (Online): 3144-5160
Volume-3 Issue-4 || Oct – Dec 2026 || PP. 8 – 15 https://jiits.org/

All coefficients exceeded 0.80, indicating strong internal consistency.

Statistical Analysis

Descriptive statistics were calculated using means and standard deviations. Pearson correlation was employed to determine relationships among constructs. Multiple linear regression was used to assess the predictive contribution of IoT integration, data analytics, and sustainable infrastructure to climate resilience. One-way ANOVA was used to evaluate stakeholder-group differences. Statistical significance was evaluated at **$p < 0.05$**.

Results

Descriptive Results

Dimension	Mean	SD	Interpretation
IoT Integration	3.72	0.67	High
Data Analytics Capability	3.68	0.70	Moderately High
Sustainable Infrastructure	3.81	0.65	High
Climate Resilience	3.76	0.63	High

Sustainable infrastructure recorded the highest mean score (**M = 3.81**), followed by climate resilience (**M = 3.76**), IoT integration (**M = 3.72**), and data analytics capability (**M = 3.68**).

The relatively lower data-analytics score suggests that data collection capacity may develop more rapidly than the institutional capability required to integrate and analyze urban datasets.

Smart-City Applications

Application	Mean	SD
Real-time environmental monitoring	3.89	0.68
Smart energy management	3.82	0.72
Flood and drainage monitoring	3.77	0.75
Intelligent transportation	3.84	0.69
Smart water management	3.74	0.73
Predictive infrastructure maintenance	3.56	0.79
Integrated climate-risk analytics	3.51	0.82

Real-time environmental monitoring received the highest mean score, while integrated climate-risk analytics received the lowest. This indicates a potential gap between monitoring and advanced predictive decision-making.

Correlation Analysis

Variable	IoT	Analytics	Infrastructure	Climate Resilience
IoT Integration	1.00	0.63***	0.55***	**0.61***
Data Analytics	0.63***	1.00	0.59***	**0.66***
Sustainable Infrastructure	0.55***	0.59***	1.00	**0.72***
Climate Resilience	0.61***	0.66***	0.72***	1.00

***p < 0.001**

All three smart-city dimensions demonstrated statistically significant positive relationships with climate resilience.

Sustainable infrastructure showed the strongest correlation (**r = 0.72, p < 0.001**), followed by data analytics (**r = 0.66, p < 0.001**) and IoT integration (**r = 0.61, p < 0.001**).

Consequently, **H01, H02, and H03 were rejected**.

Multiple Regression Analysis

Climate resilience was entered as the dependent variable.

Predictor	B	SE	Standardized β	t	p
Constant	0.61	0.13	—	4.69	<0.001
IoT Integration	0.21	0.04	**0.22**	5.12	<0.001

@2026. This is an open access article distributed under the terms of the Creative Commons License [CC BY NC 4.0] and is available on www.jiits.org

Journal of Intelligent Internet of Things Systems (JIITS)
ISSN (Online): 3144-5160
Volume-3 Issue-4 || Oct – Dec 2026 || PP. 8 – 15 https://jiits.org/

Data Analytics	0.25	0.04	**0.28**	6.31	<0.001
Sustainable Infrastructure	0.38	0.04	**0.39**	9.04	<0.001

R = 0.786; R^2 = 0.618; Adjusted R^2 = 0.615; F(3,356) = 192.06; p < 0.001.

The model explained **61.8% of variance in urban climate resilience**.

Sustainable infrastructure was the strongest predictor (**β = 0.39**), followed by data analytics (**β = 0.28**) and IoT integration (**β = 0.22**).

Therefore, **H04 was rejected**.

Stakeholder Comparison

Stakeholder	**Climate Resilience Mean**	**SD**
Municipal Administration	3.81	0.59
Urban Planners/Architects	3.87	0.58
Infrastructure Professionals	3.79	0.62
IT/IoT/Data Professionals	3.71	0.65
Environmental Professionals	3.91	0.57
Urban Residents	3.49	0.68

One-way ANOVA revealed a significant difference among stakeholder groups:

F(5,354) = 4.92, p < 0.001.

Environmental professionals reported the highest perceived resilience (M = 3.91), while urban residents reported the lowest (M = 3.49). This difference suggests that institutional or professional assessments of smart-city performance may not always correspond to residents' experience of urban resilience.

Discussion

The results demonstrate that climate resilience is strongly associated with the integration of technological intelligence and sustainable physical infrastructure.

IoT integration showed a significant relationship with resilience (**r = 0.61**). This finding is consistent with existing literature demonstrating the role of connected sensors in environmental monitoring, disaster preparedness, infrastructure assessment, and sustainable urban management.

However, the regression coefficient for IoT (**β = 0.22**) was lower than that for data analytics and sustainable infrastructure. This distinction is important. Sensors primarily provide visibility into urban conditions; they do not independently prevent flooding, reduce heat exposure, or maintain electricity during extreme events.

Data analytics demonstrated a stronger predictive effect (**β = 0.28**). This indicates that the value of urban data increases when cities possess the capacity to integrate, interpret, predict, and act on that information. This result aligns with research emphasizing big-data analytics, AI, and predictive systems as mechanisms for transforming smart-city data into decision intelligence.

Sustainable infrastructure demonstrated the strongest association with resilience (**r = 0.72**) and the largest regression coefficient (**β = 0.39**). This suggests that climate resilience ultimately depends on the capacity of physical and ecological systems to respond to climate hazards.

For instance, an IoT water-level sensor may detect rising floodwater, and analytics may forecast inundation, but flood resilience still requires adequate drainage, retention capacity, wetlands, permeable surfaces, emergency infrastructure, and land-use planning.

The results therefore support an integrated architecture:

Urban Sensors → Real-Time Data → Analytics and Prediction → Decision Support → Sustainable Infrastructure Response → Climate Resilience.

This interpretation is compatible with recent systematic evidence suggesting that technological interventions are more effective when connected to planning tools, institutional capacity, governance reform, and resilience objectives rather than implemented as isolated pilots.

The significant stakeholder differences also have governance implications. Urban residents reported lower resilience than professional stakeholder groups. Smart-city performance assessment should therefore combine technical indicators

@2026. This is an open access article distributed under the terms of the Creative Commons License [CC BY NC 4.0] and is available on www.jiits.org

Journal of Intelligent Internet of Things Systems (JIITS)
ISSN (Online): 3144-5160
Volume-3 Issue-4 || Oct – Dec 2026 || PP. 8 – 15
https://jiits.org/

with citizen experience, service accessibility, equity, affordability, and neighborhood-level vulnerability.



Proposed Integrated Smart Climate-Resilience Framework

An effective smart climate-resilience system can be organized into five interconnected layers.

Sensing Layer: IoT sensors, weather stations, smart meters, cameras, water-level sensors, air-quality sensors, traffic sensors, and infrastructure-condition monitoring.

Connectivity and Data Layer: 5G/6G, LPWAN, edge computing, cloud platforms, GIS databases, and interoperable urban-data platforms.

Intelligence Layer: statistical analytics, machine learning, AI forecasting, anomaly detection, climate-risk models, digital twins, and predictive maintenance.

Decision and Governance Layer: dashboards, early-warning systems, municipal command centers, planning support, citizen communication, and emergency-response coordination.

Resilient Infrastructure Layer: green infrastructure, sustainable drainage, resilient buildings, renewable energy, smart grids, water conservation, climate-resilient mobility, and nature-based solutions.

The effectiveness of the framework depends on continuous feedback. Infrastructure performance data should return to the sensing and analytics layers, allowing systems and policies to adapt over time.


Practical Implications

Cities should avoid treating smart-city technology as an end in itself. Investment priorities should be linked to measurable climate-risk reduction.

Flood-prone cities can combine rainfall and water-level sensors with GIS-based flood models, predictive analytics, sustainable drainage, retention areas, and early-warning systems. Heat-prone cities can integrate temperature sensors, satellite observations, urban heat-island analytics, cool roofs, green roofs, urban forests, and heat-health warning systems.

Energy resilience can similarly combine smart meters and demand analytics with renewable generation, distributed storage, microgrids, and energy-efficient buildings.

Interoperability is essential. Fragmented databases and incompatible sensor platforms reduce the ability to generate city-wide intelligence. Cybersecurity, privacy, transparency, and responsible data governance must therefore be embedded in system design.



Limitations and Future Research

The cross-sectional design identifies statistical associations but does not independently establish causality. Future longitudinal studies could evaluate how smart-city interventions alter resilience indicators over multiple years.

Future research should combine stakeholder perceptions with objective data such as flood duration, heat exposure, energy interruptions, water losses, emergency-response time, infrastructure downtime, carbon emissions, and recovery costs.

Digital twins, edge AI, explainable AI, federated learning, remote sensing, and participatory sensing also offer significant directions for future smart-resilience research. Recent literature indicates substantial potential for integrated AI, AIoT, and urban digital twins, although governance,

OPEN ACCESS
@2026. This is an open access article distributed under the terms of the Creative Commons License [CC BY NC 4.0] and is available on www.jiits.org

Journal of Intelligent Internet of Things Systems (JIITS)
ISSN (Online): 3144-5160
Volume-3 Issue-4 || Oct – Dec 2026 || PP. 8 – 15
https://jiits.org/

interoperability, security, and implementation remain major challenges.

Conclusion

The study demonstrates that smart-city technologies can contribute significantly to climate-resilient urban development when technological and infrastructural systems are integrated.

IoT integration, data analytics capability, and sustainable infrastructure all demonstrated significant positive associations with urban climate resilience. Sustainable infrastructure produced the strongest relationship (**r = 0.72**) and predictive contribution (**β = 0.39**), followed by data analytics (**r = 0.66; β = 0.28**) and IoT integration (**r = 0.61; β = 0.22**).

The combined model explained **61.8% of the variance in climate resilience**, demonstrating that an integrated approach provides substantial explanatory power.

The central implication is that a climate-resilient smart city should not simply be a highly connected city. It should be a city capable of sensing risks, interpreting data, anticipating disruptions, coordinating responses, adapting infrastructure, protecting vulnerable populations, and learning from changing environmental conditions.

The most effective pathway can therefore be expressed as:

IoT Monitoring + Data Intelligence + Sustainable Infrastructure + Responsive Governance = Smart Climate-Resilient Urban Development.

References

1. Albino, V., Berardi, U., & Dangelico, R. M. (2015). Smart cities: Definitions, dimensions, performance, and initiatives. *Journal of Urban Technology, 22*(1), 3–21. DOI: 10.1080/10630732.2014.942092.
2. Bibri, S. E. (2018). The IoT for smart sustainable cities of the future: An analytical framework for sensor-based big data applications for environmental sustainability. *Sustainable Cities and Society, 38*, 230–253. DOI: 10.1016/j.scs.2017.12.034.
3. Bibri, S. E. (2021). Data-driven smart sustainable cities of the future: An evidence synthesis approach to a comprehensive state-of-the-art literature review. *Sustainable Futures, 3*, 100047. DOI: 10.1016/j.sftr.2021.100047.
4. Bibri, S. E., Alexandre, A., Sharifi, A., & Krogstie, J. (2023). Environmentally sustainable smart cities and their converging AI, IoT, and big data technologies and solutions: An integrated approach to an extensive literature review. *Energy Informatics, 6*, 9. DOI: 10.1186/s42162-023-00259-2.
5. Bibri, S. E., Huang, J., Jagatheesaperumal, S. K., & Krogstie, J. (2024). The synergistic interplay of artificial intelligence and digital twin in environmentally planning sustainable smart cities: A comprehensive systematic review. *Environmental Science and Ecotechnology, 20*, 100433. DOI: 10.1016/j.ese.2024.100433.
6. Chourabi, H., Nam, T., Walker, S., Gil-Garcia, J. R., Mellouli, S., Nahon, K., Pardo, T. A., & Scholl, H. J. (2012). Understanding smart cities: An integrative framework. *45th Hawaii International Conference on System Sciences*. DOI: 10.1109/HICSS.2012.615.
7. Meerow, S., Newell, J. P., & Stults, M. (2016). Defining urban resilience: A review. *Landscape and Urban Planning, 147*, 38–49. DOI: 10.1016/j.landurbplan.2015.11.011.
8. Omrany, H., Al-Obaidi, K. M., Hossain, M., Alduais, N. A. M., Al-Duais, H. S., et al. (2024). IoT-enabled smart cities: A hybrid systematic analysis of key research areas, challenges, and recommendations for future direction. *Discover Cities, 1*, Article 2.
9. Sahu, V., Swarnkar, S., & Poonia, V. (2026). Climate resilience in Indian smart cities: Linking dry–hot extremes and urban vulnerability for sustainability. *Urban Climate, 67*, 102922. DOI: 10.1016/j.uclim.2026.102922.
10. Saputra, H., Helmi, R. A. A., Ghazali, M. D., & Sumartini, W. O. (2025). Urban resilience through IoT-based disaster preparedness and infrastructure monitoring: A systematic literature review. *Natural Hazards Research*. DOI: 10.1016/j.nhres.2025.09.005.
11. Soomro, K., Bhutta, M. N. M., Khan, Z., & Tahir, M. A. (2019). Smart city big data analytics: An advanced review. *WIREs Data Mining and Knowledge Discovery, 9*(5), e1319. DOI: 10.1002/widm.1319.
12. Trindade, E. P., Hinnig, M. P. F., da Costa, E. M., Marques, J. S., Bastos, R. C., & Yigitcanlar, T. (2017). Sustainable development of smart cities: A systematic review of the literature. *Journal of Open Innovation: Technology, Market, and Complexity, 3*, 11.
13. *Sensors* systematic-review study (2024). Sensors on Internet of Things systems for the sustainable development of smart cities: A systematic literature review. *Sensors, 24*(7), 2074.
14. *Heliyon* review study (2024). Smart cities software applications for sustainability and resilience. *Heliyon, 10*(12), e32654. DOI: 10.1016/j.heliyon.2024.e32654.
15. *Smart Cities* systematic review (2026). Integrating smart city technologies and urban resilience: A systematic review and research agenda for urban planning and design. *Smart Cities, 9*(1), Article 2. DOI: 10.3390/smartcities9010002.

OPEN ACCESS
@2026. This is an open access article distributed under the terms of the Creative Commons License [CC BY NC 4.0] and is available on www.jiits.org